


SFERO SPACE 1-2

Code: 01-SF-712-P-S



Physical



Social-emotional



Sliding down



Sitting



Climbing



Socialisation



Balancing



Getting across



Resting

Description

The **SFERO SPACE 1-2 Playset** is a unique playground attraction that can easily become the centerpiece of any play area. With its original structure, modern design, and geometric precision, it captures attention and stands out from afar. Children can explore Sfero through climbing, discovery, and creative play – each activity offering endless fun and physical engagement. The structure helps develop coordination, strength, and spatial imagination, while its solid construction ensures complete safety. The Sfero Space 1-2 combines modern engineering with striking design, creating a piece of play equipment that is both safe and visually impressive.

The **SFERO SPACE 1-2 Playset** consists of one spherical module and one straight tube slide. The sphere is an Archimedean solid, and thanks to its octagonal symmetry and equilateral radial design, it forms an extremely stable structure that guarantees the highest level of user safety. The spherical module features 24 identical edges, forming structural tubes made of S235 steel, Ø 88.9 mm with a wall thickness of 2.6 mm, hot-dip galvanized and powder-coated. All structural elements are joined using an innovative internal sleeve system, providing a strong and durable connection – ensuring stability even during intensive play by up to 18 children.

*An optional version with stainless-steel slides is also available.

Playground device consists of

- 4 supporting posts for the main structure
- 1 slide support post
- 1 straight tube slide
- 4 triangular milled panels
- 2 internal triangular entrance ramps
- 4 square climbing panels
- 1 black rubber resting platform
- 4 triangular steel plates with openings
- 16 corner connectors

Product details

- Dimensions (LxWxH): 6.85 × 2.70 × 3.09 m
- Safety area (LxW): 10.85 × 6.70 m
- Maximum fall height: 2.18 m
- Age group: 4+
- Number of users: 18
- A certificate confirming compatibility with norm EN 1176
- Dimensional tolerance: ±5%

Materials

- Structure made of S235 structural steel, hot-dip galvanized and powder-coated. Tubes Ø 88.9 mm, wall thickness 2.6 mm.
- Ropes (Ø16 mm), reinforced, made with a fiber core and steel braid, covered with UV-resistant and flame-retardant polypropylene fibers.
- Modular assembly system based on repetitive elements and corner connectors.
- Plastic slide with a concealed mounting system. Wall thickness of plastic slides: 8 mm.
- Mesh panels – made of anti-corrosion protected, powder-coated steel.
- Triangular milled panels – made of 15 mm HDPE.
- Entrance ramps – made of steel, covered with HPL panels.
- Steps – made of anti-slip HPL.
- Platform (resting area) – black, made of reinforced rubber.
- Frame color: RAL 7035 i RAL 5024.
- Decorative elements: light blue and orange HDPE, thickness 15 mm. All images are for illustrative purposes only and may vary from the actual product.
- Slides in RAL 5015 (dominant color) and RAL 2004.

All images are for illustrative purposes only and may vary from the actual product.

